

GENERAL PURPOSE

GP
KEYBOARDS

PC/Windows™ Compatible

Foreign Language
Layouts Available

Ergonomic Design

CHERRY 



C H E R R Y K E Y B O A R D S

Cherry's line of general purpose data entry keyboards combine unmatched reliability and precise key action with proven ergonomic design and comfort to provide the highest levels of performance, even during high speed or repeated actuation. With keyboards available in a variety of configurations and over 34 different language layouts, Cherry is able to offer a solution no matter what your application demands.

As the leader in mechanical and membrane keyswitch technologies, Cherry is able to offer a variety of solutions to match your particular keyboard needs. Our MX Series mechanical keyswitches incorporate our "Gold Crosspoint" contacts, which provide low initial contact resistance and favorable bounce characteristics. Their "crosspoint" design provides specific contact pressure and excellent switching reliability. They feature a 4mm full-travel design and offer a life expectancy of 50 million operations.

The mechanical ML keyswitch used in our notebook style keyboards incorporate a 3mm full-travel design and offer a life expectancy of over 20 million operations. Both the MX and ML keyswitches mount directly to the printed circuit board.

Cherry's "Full Travel Sealed Contact" (FTSC) technology provides outstanding performance at an affordable price. Cherry incorporates membrane design to reduce costs, while maintaining quality and reliability. Our FTSC products have a life expectancy of 50 million operations per key.



ADVANCED SOLUTIONS • RELIABLE PERFORMANCE

KEYBOARD FEATURES

G80-11900



Compact 104-key IBM compatible keyboard with integrated touchpad for PC PS/2 systems

Dimensions:
16.3" x 7.6"

- Mechanical MX keyswitches with gold crosspoint contacts
- Integrated touchpad with two mouse buttons
- Compact, space-efficient size
- 104-key Microsoft Windows™ layout
- Available in beige

G80-11900LPMUS Laser-printed key caps, Y cable PS/2 and PS/2 interface
G80-11900LTMUS Laser-printed key caps, Y cable PS/2 and PS/2 interface.
Includes PS/2-to-AT adapter and PS/2-to-serial adapter

G80-1800 G81-1800



Compact 101-key or 104-key IBM compatible keyboard for PC XT, AT and PS/2 systems

Dimensions:
15.9" x 7.1"

- G80 — Mechanical MX keyswitches with gold crosspoint contacts
- G81 — FTSC (Full-Travel Sealed Contact) technology with membrane contacts
- 104-key Microsoft Windows layout available
- Available in beige or black

G80-1800HAU 101-key, linear feel, two-shot molded key caps, AT interface, XT compatible, beige
G81-1800HBAUS 101-key, linear feel, two-shot molded key caps, AT interface, black
G81-1800HQAUS 101-key, linear feel, two-shot molded key caps, PS/2 interface, black
G81-1800LAAUS 101-key, linear feel, laser-printed key caps, AT interface, beige
G81-1800LPAUS 101-key, linear feel, laser-printed key caps, PS/2 interface, beige
G81-1800LAMUS 104-key (Microsoft Windows), linear feel, laser-printed key caps, AT interface, beige
G81-1800LPMUS 104-key (Microsoft Windows), linear feel, laser-printed key caps, PS/2 interface, beige

G80-3000 G81-3000



Full-size 101-key or 104-key IBM compatible keyboard for PC XT, AT, PS/2 and USB systems

Dimensions:
18.5" x 7.7"

- G80 — Mechanical MX keyswitches with gold crosspoint contacts
- G81 — FTSC (Full-Travel Sealed Contact) technology with membrane contacts
- 104-key Microsoft Windows layout available
- USB version with downstream HUB available
- Available in beige or black

G80-3000LAMUS 104-key (Microsoft Windows), linear feel, laser-printed key caps, AT interface, beige
G80-3000LUNUS 104-key (Microsoft Windows), linear feel, laser-printed key caps, USB interface, beige
G81-3000LADUS 101-key, linear feel, laser-printed key caps, AT interface, beige
G81-3000LPDUS 101-key, linear feel, laser-printed key caps, PS/2 interface, beige
G81-3000LANUS 104-key (Microsoft Windows), linear feel, laser-printed key caps, AT interface, beige
G81-3000LPNUS 104-key (Microsoft Windows), linear feel, laser-printed key caps, PS/2 interface, beige
G81-3000LUNUS 104-key (Microsoft Windows), linear feel, laser-printed key caps, USB interface, beige
G81-3504LAAUS 104-key (Microsoft Windows), linear feel, laser-printed key caps, USB interface, 4-port HUB, beige



G80-3700



**21-key
IBM compatible
multi-function
numeric keypad
for PC AT and
PS/2 systems**

Dimensions:
4.3" x 7.7"

- Mechanical MX keyswitches with gold crosspoint contacts
- Four fully programmable and relegendable function keys
- 30 bytes of memory per key
- Interface for external keyboard

- G80-3700HAAUS Two-shot molded key caps, AT interface
- G80-3700HQAUS Two-shot molded key caps, PS/2 interface

G81-8308



**Full-size 130-key
IBM compatible
keyboard with
24 freely
programmable
function keys,
for PC AT and
PS/2 systems**

Dimensions:
18.5" x 8.7"

- Full Travel Sealed Contact (FTSC) technology with membrane contacts
- 24 freely programmable and relegendable keys with ten layers of functionality
- 32 characters per key programming capability
- Digital display to identify programming level

- G81-8308LAAUS 130-key, laser-printed key caps, AT interface, beige
- G81-8308LPAUS 130-key, laser-printed key caps, PS/2 interface, beige

**G83-6101
G83-6104**




**Full-size 101-key
or 104-key
IBM compatible
keyboard for
PC AT and
PS/2 systems**

Dimensions:
18" x 6.7"

- Membrane switch contacts with single rubber sheet to provide a distinct, tactile feel
- 104-key Microsoft Windows layout available
- Laser etching of customer logo artwork available
- Spill-resistant version available

- G83-6101LADUS 101-key, laser-printed key caps, AT interface, beige
- G83-6101LPDUS 101-key, laser-printed key caps, PS/2 interface, beige
- G83-6104LANUS 104-key (Microsoft Windows), laser-printed key caps, AT interface, beige
- G83-6104LPNUS 104-key (Microsoft Windows), laser-printed key caps, PS/2 interface, beige
- G83-6104LUNUS 104-key (Microsoft Windows), laser-printed key caps, USB interface, beige
- G83-6300LANUS 104-key (Microsoft Windows), laser-printed key caps, spill-resistant, AT interface, beige
- G83-6300LPNUS 104-key (Microsoft Windows), laser-printed key caps, spill-resistant, PS/2 interface, beige
- G83-6700LPAUS-1 104-key (Microsoft Windows), laser-printed key caps, smart card, PS/2 interface, light gray
- G83-6700LQAUS-1 104-key (Microsoft Windows), laser-printed key caps, smart card, Y cable PS/2 and serial interface, light gray

G83-6700



G84-4100



Notebook-style, 83-key or 86-key IBM compatible keyboard for PC XT, AT and PS/2 systems

Dimensions:
11.1" x 5.2"

- Mechanical ML keyswitches with gold crosspoint contacts, less than 12mm high with keycaps
- Lightweight: 1.32 lbs.
- Full 101-key or 104-key functionality
- Microsoft Windows keys available
- LED indicators for operating modes
- Ideal for applications with space limitations or mobile systems
- Available with or without housing and/or electronics
- Available in beige, gray and black

G84-4000QAU	83-key, beige tampo-printed key caps, no housing, no electronics
G84-4001QAU	83-key, gray tampo-printed key caps, no housing, no electronics
G84-4100PAAUS	83-key, tampo-printed key caps, AT interface, beige
G84-4100PAMUS	86-key (Microsoft Windows), tampo-printed key caps, AT interface, beige
G84-4100PPAUS	83-key, tampo-printed key caps, PS/2 interface, beige
G84-4100PPMUS	86-key (Microsoft Windows), tampo-printed key caps, PS/2 interface, beige
G84-4100PQU	83-key, tampo-printed key caps, AT interface, XT compatible, beige
G84-4100PRAUS	83-key, tampo-printed key caps, PS/2 interface, black
G84-4100QXAUS	83-key, with electronics, no housing, no cable
G84-4101PAAUS	83-key, tampo-printed key caps, AT interface, gray
G84-4101PPAUS	83-key, tampo-printed key caps, PS/2 interface, gray

G84-4400



Notebook-style, 83-key compact IBM compatible keyboard with integrated PS/2 trackball for PC PS/2 systems

Dimensions:
14.6" x 5.5"

- Mechanical ML keyswitches with gold crosspoint contacts, less than 12mm high with keycaps
- Integrated 16mm trackball with two mouse buttons
- Full 101-key functionality
- Ideal for applications with space limitations or mobile systems
- Trackball adapter available for PS/2-to-serial conversion

G84-4400PPAUS	83-key, tampo-printed key caps, Y Cable PS/2 and PS/2 interface, beige
007-1813	PS/2-to-serial conversion adapter

G84-4700



Notebook-style, 21-key IBM compatible multi-function numeric keypad for PC PS/2 systems


Dimensions:
3.5" x 5.2"

- Mechanical ML keyswitches with gold crosspoint contacts, less than 12mm high with keycaps
- Four fully programmable and relegendable function keys
- 32 characters per key programming capability
- Interface for external keyboard

G84-4700PPBUS	21-key, tampo-printed key caps, PS/2 interface, beige
G84-4701PPBUS	21-key, tampo-printed key caps, PS/2 interface, gray

Pin Assignments

— Synchronous Interface



GENERAL SPECIFICATIONS*

Electrical Specs

Power Supply:

+5V/DC ±5%, < 200 mA typical

Temperature:

Storage Temperature Range:
-4°F to +140°F

Operating Temperature Range:
+32°F to +122°F

Interface:

Bi-directional, synchronous serial.
The keyboard communicates with
the system via clock and data lines.

Data Format:

IBM compatible, bi-directional

Data Buffer:

All codes are buffered before
transmission

Self-Diagnostic Test:

After power-on or upon
system request

Rollover:

Alpha N-key rollover

Automatic Repeat:

Keys have auto-repeat function

Reset:

Keyboard automatically resets
at power-on

Approvals

Radio Frequency Interfaces:

FCC, EN, CE

Ergonomics:

ZH, ISO

Safety:

UL, CSA, EN, VDE

Susceptibility:

IEC



Cherry Electrical Products

Toll-Free: 800-510-1689
Phone: 262-942-6600
Fax: 262-942-6566
Web: www.cherrycorp.com

Other Fine Cherry Keyboards

In addition to our line of **General Purpose Keyboards**, Cherry also has a wide selection of **Advanced Performance Keyboards** featuring value-added options such as bar code decoders, magnetic stripe readers, and smart card readers/writers, programmable keys, and more. With Cherry's unique, menu-driven approach, you can virtually build a "custom" keyboard to fit your exact requirements.



The chart below shows just a sample of our wide selection. For a complete product brochure on Cherry Advanced Performance Keyboards, contact Cherry today.

Part Number	Overall Dimensions	Total Number of Keys	Programmable Keys	Relegendable Key Caps	Touchpad w/ Mouse Buttons	Magnetic Stripe Reader	Smart Card Readers/Writers	Plug-ins (SAM)	Biometrics (Finger Print)	Bar Code Decoder	RS232 Port	Key Lock
G80-1950	12.6" x 8.6"	105	105	105		X				X	X	
G80-7009	15.9" x 8.7"	113	52	33		X	X	X		X		
G80-8109	18.5" x 8.7"	120	59	41	X	X	X	X		X		
G80-8113	18.5" x 8.7"	120	59	41	X	X				X	X	
G80-8200	18.5" x 8.7"	120	59	48		X				X	X	
G80-8202	18.5" x 8.7"	120	59	48		X	X	X		X		
G80-8212	18.5" x 8.7"	120	59	48		X				X	X	X
G81-7000	15.9" x 8.7"	104	43	▲		X				X	X	
G81-7002	15.9" x 8.7"	104	43	▲		X	X	X		X		
G81-7005	15.9" x 8.7"	104	43	▲			X	X		X		
G81-8000	18.5" x 8.7"	104	43	▲		X				X	X	
G81-8001	18.5" x 8.7"	104	43	▲		X	X	X		X		
G81-8002	18.5" x 8.7"	104	43	▲		X	X	X		X		
G81-8003	18.5" x 8.7"	104	43	▲		X	X	X		X		
G81-8004	18.5" x 8.7"	104	43	▲			X	X		X		
G81-8005	18.5" x 8.7"	104	43	▲			X	X		X		
G81-8006	18.5" x 8.7"	104	43	▲			X	X		X		
G81-8008	18.5" x 8.7"	104	43	▲						X	X	
G81-12000	18.5" x 8.7"	104	43	▲			X	X	X			
G81-12100	18.5" x 8.7"	104	43	▲					X			
G83-6700	18.0" x 7.6"	104	0	0			X					

*General specifications for information purposes only and may not apply to all Cherry keyboard products. Please consult the factory for further details.

▲ = 24 Relegendable Key Caps Optional