

Cognitive

Media List

**Labels, Tags and Ribbons for
Cognitive Printers**

Introduction

Thank You!

Thank you for choosing Cognitive. We appreciate your business, and hope that you make us your one source for bar-code printers, media, and supplies. To assure your complete satisfaction, we offer:

- **Reliable quality:** Our media is designed and manufactured to give you outstanding print quality. All Cognitive media is made from the finest materials for guaranteed printing, adhesion, and overall application performance.
- **Friendly service:** Our motto is "Serve Our Customers". We will do everything in our power to help you with your application or with your order to make sure you are completely satisfied. If there is a problem, we

will work to get it resolved quickly because we know your reputation (and ours) is at stake!

- **Free Samples:** We always recommend that you test samples of media before ordering or applying labels in large quantities. We will happily supply you with free samples (standard media when available or raw materials if application is unique) for your examination and testing.
- **Plus,** our media is the only media specifically designed for use in Cognitive printers. The dimensions, thermal sensitivity, and indexing cues of our label and tag media consistently give you the finest print quality and performance available.

Custom Ordering Requirements

- To order Cognitive products, please fax a completed and signed purchase order to Cognitive's Customer Service Group at (303) 279-9517.
- Payment terms are considered for customers who complete a Credit Application. Payment terms are established upon review and approval by Cognitive's Accounting department.
- We gladly accept most major credit cards including MasterCard, Visa and Discover.

- Minimum order amount: \$100 for standard media and supplies, \$300 for customs.
- 20% restocking fee applicable on orders of standard media and supplies returned to Cognitive. Contact Customer Service for RMA number. Custom media cannot be returned.
- For order status or product availability inquiries, please contact us at: (800) 525-2785.
- Larger orders may be subject to longer lead times.

Standard Practices

- **Warranty:** All Cognitive media (except items with removable adhesive) is guaranteed to be free from defects of materials and workmanship for a period of one year (6 months for items with removable adhesive). We do not warrant our materials as to usability or suitability, and we are not responsible for losses arising from the use or misuse of our products. This warranty gives you specific legal rights, and you may have other rights that vary from state to state.
- **Adhesives:** Our adhesives are designed for most general purpose applications. Call us if you need special adhesives for use at extreme temperatures or in other challenging environments. Remember, we will gladly send you samples to test - we much prefer investing a

little time and minimal expense up front by sending samples to ensure the correct material for the application versus the eventual expense of having to redo the order.

- **Tolerances:** We guarantee our media to be within 0.02" of the specified dimensions.
- **Customs:** Challenging environments demand the use of special materials. We can custom convert a variety of synthetic materials depending on your application. Tell us about your application and we'll recommend a solution that will give you water, chemical, heat, cold temp, or abrasion resistance; or whatever it is your application demands. Let us know too, if you have a special size or shape you're looking for, we should be able to accommodate.

About This Document

The tables are organized by media type, either direct thermal or thermal transfer, and by printer type. Where necessary, compatibility between printer models has been indicated.

Direct Thermal - Labels & Tags

Del Sol, Solus, Solus II, Blaster Classic,
Blaster Advantage

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item	Media Works in the following Printers	Rolls per case
03-02-1825	.75x.75	Paper	GP	2285	N	Blaster / Del Sol / Solus	12
03-02-1520	1.15x1	Paper	GP, 2up	3370	Y	Blaster / Del Sol / Solus	12
03-02-2100	1.15x1	Paper	GP, 2up	4700	Y	Del Sol / Solus	12
03-02-2590	1.15x1	Paper	GP, 2up	10,610	N	Del Sol 7" OD	6
03-02-1897	1.15x1	Paper	GP, 2up, RA	3370	Y	Blaster / Del Sol / Solus	12
03-02-2101	1.15x1	Paper	GP, 2up, RA	4700	N	Del Sol / Solus	12
03-02-2588	1.15x1	Paper	GP, 2up, RA	10,610	N	Del Sol 7" OD	6
03-02-1797	2x.56	Vinyl	Butterfly	2665	Y	Blaster / Del Sol / Solus	12
03-02-2113	2x.56	Vinyl	Butterfly	3600	N	Del Sol / Solus	12
03-02-2574	2x.56	Vinyl	Butterfly	7600	N	Del Sol 7" OD	6
03-02-1649	2x.56	Vinyl	Butterfly, B	2665	N	Blaster / Del Sol / Solus	12
03-02-1519	2.3x1	Paper	GP	1685	Y	Blaster / Del Sol / Solus	12
03-02-2102	2.3x1	Paper	GP	2350	Y	Del Sol / Solus	12
03-02-2586	2.3x1	Paper	GP	5305	Y	Del Sol 7" OD	6
03-02-1764	2.4x1	Paper	GP, RA	1685	Y	Blaster / Del Sol / Solus	12
03-02-2103	2.3x1	Paper	GP, RA	2350	N	Del Sol / Solus	12
03-02-2566	2.3x1	Paper	GP, RA	5305	N	Del Sol 7" OD	6
03-02-1648	2.4x.75	Vinyl	GP	2130	N	Blaster / Del Sol / Solus	12
03-02-2111	2.4x.75	Vinyl	GP	2880	N	Del Sol / Solus	12
03-02-1647	2.4x1	Vinyl	GP	1685	Y	Blaster / Del Sol / Solus	12
03-02-2112	2.4x1	Vinyl	GP	2270	N	Del Sol / Solus	12
03-02-2584	2.4x1	Vinyl	GP	4800	N	Del Sol 7" OD	6
03-02-1639	2.4x1	Tag	7.5mil, P, H, B	1500	Y	Blaster / Del Sol / Solus	12
03-02-2108	2.4x1	Tag	7.5mil, P, H, B	2100	N	Del Sol / Solus	12
03-02-2578	2.4x1	Tag	7.5mil, P, H, B	4800	Y	Del Sol 7" OD	6
03-02-1785	2.4x1	Tag	7.5mil, P, H, N	1500	Y	Blaster / Del Sol / Solus	12
03-02-2107	2.4x1	Tag	7.5mil, P, H, N	2100	N	Del Sol / Solus	12
03-02-2568	2.4x1	Tag	7.5mil, P, H, N	4800	N	Del Sol 7" OD	6
03-02-1651	2.4x1	Paper	BC	2000	Y	Blaster / Del Sol / Solus	12
03-02-2104	2.4x1	Paper	BC	2800	N	Del Sol / Solus	12
03-02-2570	2.4x1	Paper	BC	6300	N	Del Sol 7" OD	6
03-02-1820	2.4x2	Paper	GP	914	Y	Blaster / Del Sol / Solus	12
03-02-2105	2.4x2	Paper	GP	1280	N	Del Sol / Solus	12
03-02-2580	2.4x2	Paper	GP	2880	N	Del Sol 7" OD	6
03-02-1646	2.4x2	Tag	7.5mil, P, H, B	750	Y	Blaster / Del Sol / Solus	12
03-02-2109	2.4x2	Tag	7.5mil, P, H, B	1050	N	Del Sol / Solus	12
03-02-2576	2.4x2	Tag	7.5mil, P, H, B	2400	N	Del Sol 7" OD	6
03-02-1867	2.4x2	Tag	7.5mil, P, H, N	750	N	Blaster / Del Sol / Solus	12
03-02-2110	2.4x2	Tag	7.5mil, P, H, N	1050	N	Del Sol / Solus	12
03-02-2572	2.4x2	Tag	7.5mil, P, H, N	2400	N	Del Sol 7" OD	6
03-02-1521	2.4x3	Paper	GP	627	Y	Blaster / Del Sol / Solus	12
03-02-2106	2.4x3	Paper	GP	878	Y	Del Sol / Solus	12
03-02-2562	2.4x3	Paper	GP	1976	Y	Del Sol 7" OD	6

Key: GP = Gap/perforation, P = Perforation separates each tag, N = Notch Index, BC = Butt-cut, H = Hole for string hanging, B = Bar Index, IR = Infra-red Scannable, RA = Removable Adhesive

Copyright © 2001, Cognitive. All rights reserved. Specifications are subject to change without notification.
105-087-01 rev. C September, 2001

Cognitive

Direct Thermal - Labels & Tags

Del Sol, Solus, Solus II, Blaster Classic,
Blaster Advantage

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item	Media Works in the following Printers	Rolls per case
03-02-1821	3x1	Paper	GP	1775	Y	Blaster / Del Sol / Solus	12
03-02-2114	3x1	Paper	GP	2480	Y	Del Sol / Solus	12
03-02-2604	3x1	Paper	GP	5600	N	Del Sol 7" OD	6
03-02-1524	4.25x1	Paper	GP	1685	Y	Blaster / Del Sol / Solus	12
03-02-2117	4.25x1	Paper	GP	2350	N	Del Sol / Solus	12
03-02-2602	4.25x1	Paper	GP	5305	N	Del Sol 7" OD	6
03-02-1826	4x2	Paper	GP	940	Y	Blaster / Del Sol / Solus	12
03-02-2115	4x2	Paper	GP	1315	N	Del Sol / Solus	12
03-02-2600	4x2	Paper	GP	2960	N	Del Sol 7" OD	6
03-02-2556	4x3	Paper	GP	640	Y	Blaster / Del Sol / Solus	12
03-02-2552	4x3	Paper	GP	896	Y	Del Sol / Solus	12
03-02-2598	4x3	Paper	GP	2015	Y	Del Sol 7" OD	6
03-02-1523	4.25x3	Paper	GP	627	Y	Blaster / Del Sol / Solus	12
03-02-2557	4x4	Paper	GP	484	Y	Blaster / Del Sol / Solus	12
03-02-2553	4x4	Paper	GP	678	N	Del Sol / Solus	12
03-02-2594	4x4	Paper	GP	1525	N	Del Sol 7" OD	6
03-02-1827	4x6	Paper	GP	326	Y	Blaster / Del Sol / Solus	12
03-02-2116	4x6	Paper	GP	455	N	Del Sol / Solus	12
03-02-2592	4x6	Paper	GP	1025	N	Del Sol 7" OD	6
03-02-1522	4.25x6.5	Paper	GP	300	N	Blaster / Del Sol / Solus	12

Key: GP = Gap/perforation, P = Perforation separates each tag, N = Notch Index, BC = Butt-cut,
H = Hole for string hanging, = Bar Index, IR = Infra-red Scannable, RA = Removable Adhesive

Copyright © 2001, Cognitive. All rights reserved. Specifications are subject to change without notification.
105-087-01 rev. C September, 2001

Cognitive

Thermal Transfer - Labels & Tags

Del Sol, Solus, Solus II, Blaster Classic,
Blaster Advantage

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item	Media Works in the following Printers	Rolls per case
03-02-1832	.75x.75	Paper	GP	2285	N	Blaster / Del Sol / Solus	12
03-02-1731	1.15x1	Paper	GP, 2up	3370	Y	Blaster / Del Sol / Solus	12
03-02-2120	1.15x1	Paper	GP, 2up	4700	Y	Del Sol / Solus	12
03-02-2585	1.15x1	Paper	GP, 2up	10610	N	Del Sol 7" OD	6
03-02-1898	1.15x1	Paper	GP, 2up, RA	3370	Y	Blaster / Del Sol / Solus	12
03-02-2121	1.15x1	Paper	GP, 2up, RA	4700	N	Del Sol / Solus	12
03-02-2583	1.15x1	Paper	GP, 2up, RA	10610	N	Del Sol 7" OD	6
03-02-1803	2x.56	Vinyl	Butterfly	2665	Y	Blaster / Del Sol / Solus	12
03-02-2131	2x.56	Vinyl	Butterfly	3600	N	Del Sol / Solus	12
03-02-2569	2x.56	Vinyl	Butterfly	7600	N	Del Sol 7" OD	6
03-02-1732	2x.56	Vinyl	Butterfly, B	2665	N	Blaster / Del Sol / Solus	12
03-02-1656	2.3x1	Paper	GP	1685	Y	Blaster / Del Sol / Solus	12
03-02-2122	2.3x1	Paper	GP	2350	Y	Del Sol / Solus	12
03-02-2581	2.3x1	Paper	GP	5305	Y	Del Sol 7" OD	6
03-02-1661	2.4x1	Paper	GP, RA	1685	Y	Blaster / Del Sol / Solus	12
03-02-2123	2.4x1	Paper	GP, RA	2350	Y	Del Sol / Solus	12
03-02-2577	2.4x1	Paper	GP, RA	5305	N	Del Sol 7" OD	6
03-02-1830	2.4x1	Polyester	GP	1685	Y	Blaster / Del Sol / Solus	12
03-02-1733	2.4x1	Vinyl	GP	1685	Y	Blaster / Del Sol / Solus	12
03-02-2130	2.4x1	Vinyl	GP	2270	N	Del Sol / Solus	12
03-02-2579	2.4x1	Vinyl	GP	4800	N	Del Sol 7" OD	6
03-02-1664	2.4x1	Tag	7mil, P, H, B	1500	Y	Blaster / Del Sol / Solus	12
03-02-2127	2.4x1	Tag	7mil, P, H, B	2100	N	Del Sol / Solus	1
03-02-2573	2.4x1	Tag	7mil, P, H, B	4800	Y	Del Sol 7" OD	6
03-02-1786	2.4x1	Tag	7mil, P, H, N	1500	Y	Blaster / Del Sol / Solus	12
03-02-2567	2.4x1	Tag	7mil, P, H, N	4800	N	Del Sol 7" OD	6
03-02-1823	2.4x2	Paper	GP	914	Y	Blaster / Del Sol / Solus	12
03-02-2124	2.4x2	Paper	GP	1280	N	Del Sol / Solus	12
03-02-2575	2.4x2	Paper	GP	2880	N	Del Sol 7" OD	6
03-02-1895	2.4x2	Tag	7mil, P, H, B	750	Y	Blaster / Del Sol / Solus	12
03-02-2128	2.4x2	Tag	7mil, P, H, B	1050	N	Del Sol / Solus	12
03-02-2571	2.4x2	Tag	7mil, P, H, B	2400	N	Del Sol 7" OD	6
03-02-1896	2.4x2	Tag	7mil, P, H, N	750	N	Blaster / Del Sol / Solus	1
03-02-2565	2.4x2	Tag	7mil, P, H, N	2400	N	Del Sol 7" OD	6
03-02-1730	2.4x3	Paper	GP	627	Y	Blaster / Del Sol / Solus	12
03-02-2125	2.4x3	Paper	GP	878	Y	Del Sol / Solus	12
03-02-2563	2.4x3	Paper	GP	1976	Y	Del Sol 7" OD	6

Key: GP = Gap/perforation, P = Perforation separates each tag, N = Notch Index, BC = Butt-cut, H = Hole for string hanging, = Bar Index, IR = Infra-red Scannable, RA = Removable Adhesive

Copyright © 2001, Cognitive. All rights reserved. Specifications are subject to change without notification.
105-087-01 rev. C September, 2001

Cognitive

Thermal Transfer - Labels & Tags

Del Sol, Solus, Solus II, Blaster Classic,
Blaster Advantage

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item	Media Works in the following Printers	Rolls per case
03-02-1824	3x1	Paper	GP	1775	Y	Blaster / Del Sol / Solus	12
03-02-2133	3x1	Paper	GP	2480	Y	Del Sol / Solus	12
03-02-2597	3x1	Paper	GP	5600	N	Del Sol 7" OD	6
03-02-1657	4.25x1	Paper	GP	1685	Y	Blaster / Del Sol / Solus	12
03-02-2134	4.25x1	Paper	GP	235	N	Del Sol / Solus	12
03-02-2595	4.25x1	Paper	GP	5305	N	Del Sol 7" OD	6
03-02-1828	4x2	Paper	GP	940	Y	Blaster / Del Sol / Solus	12
03-02-2135	4x2	Paper	GP	1315	N	Del Sol / Solus	12
03-02-2593	4x2	Paper	GP	2960	N	Del Sol 7" OD	6
03-02-2558	4x3	Paper	GP	640	Y	Blaster / Del Sol / Solus	12
03-02-2554	4x3	Paper	GP	896	Y	Del Sol / Solus	12
03-02-2591	4x3	Paper	GP	2015	Y	Del Sol 7" OD	6
03-02-1659	4.25x3	Paper	GP	627	N	Blaster / Del Sol / Solus	12
03-02-2555	4x4	Paper	GP	678	N	Blaster / Del Sol / Solus	12
03-02-2559	4x4	Paper	GP	484	Y	Del Sol / Solus	12
03-02-2589	4x4	Paper	GP	1525	N	Del Sol 7" OD	6
03-02-1829	4x6	Paper	GP	326	Y	Blaster / Del Sol / Solus	12
03-02-2137	4x6	Paper	GP	455	N	Del Sol / Solus	12
03-02-2587	4x6	Paper	GP	1025	N	Del Sol 7" OD	6
03-02-1660	4.25x6	Paper	GP	320	N	Blaster / Del Sol / Solus	12

Key: GP = Gap/perforation, P = Perforation separates each tag, N = Notch Index, BC = Butt-cut,
H = Hole for string hanging, = Bar Index, IR = Infra-red Scannable, RA = Removable Adhesive

Copyright © 2001, Cognitive. All rights reserved. Specifications are subject to change without notification.
105-087-01 rev. C September, 2001

Cognitive

Direct Thermal - Labels & Tags

Code Ranger

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item	Roll OD
03-02-2620	1.25x2.75	Tag (Hang)*	7.5 mil, P, H, B	90	N	2"
03-02-2621	1.25x2.75	Tag (Hang)*	7.5 mil, P, H, B	310	N	3"
03-02-2606	1.5x1	Paper	GP	255	N	2"
03-02-2607	1.5x1	Paper	GP	880	N	3"
03-02-2626	1.5x1	Paper	GP, RA	255	N	2"
03-02-2627	1.5x1	Paper	GP, RA	880	N	3"
03-02-2628	2x1	Paper	GP, RA	255	N	2"
03-02-2629	2x1	Paper	GP, RA	880	N	3"
03-02-2610	2x1	Paper	GP	255	Y	2"
03-02-2611	2x1	Paper	GP	880	Y	3"
03-02-2624	2x1	Vinyl	GP	255	N	2"
03-02-2625	2x1	Vinyl	GP	880	N	3"
03-02-2612	2x1.25	Paper	GP	210	Y	2"
03-02-2613	2x1.25	Paper	GP	720	N	3"
03-02-2614	2x2	Paper	GP	135	Y	2"
03-02-2615	2x2	Paper	GP	465	Y	3"
03-02-2616	2x3	Paper	GP	90	Y	2"
03-02-2617	2x3	Paper	GP	310	Y	3"
03-02-2618	2.25" Wide	Receipt	Continuous	1020" Long	N	2"
03-02-2619	2.25" Wide	Receipt	Continuous	2700" Long	N	3"

* This hang tag has a .375" perforated removable price tab.

Direct Thermal - Labels & Tags

Code Courier

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item
03-02-1890	2.4x1	Paper	GP	400	N
03-02-1391	4.25x1	Paper	GP	400	N
03-02-1392	4.25x3	Paper	GP	150	Y
03-02-1393	4.25x6	Paper	GP	75	N
03-02-1891	4.25x6.5	Paper	Receipt, B	115	N

Thermal Transfer - Labels & Tags

Code Courier

03-02-1892	2.4x1	Paper	GP, B	400	N
03-02-1494	4.25x1	Paper	GP, B	400	N
03-02-1495	4.25x3	Paper	GP, B	150	Y
03-02-1496	4.25x6	Paper	GP, B	75	N
03-02-1893	4.25x6.5	Paper	Receipt, B	115	N

Key: GP = Gap/perforation, P = Perforation separates each tag, N = Notch Index, BC = Butt-cut, H = Hole for string hanging, B = Bar Index, IR = Infra-red Scannable, RA = Removable Adhesive

Copyright © 2001, Cognitive. All rights reserved. Specifications are subject to change without notification.
105-087-01 rev. C September, 2001

Cognitive

Direct Thermal Labels and Tags **Barcode Blazer**

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item
03-02-1545	1.15x1	Paper	GP, 2up, B	3370	Y
03-02-1150	1.2x1	Paper	GP, 2up, RA, B	3370	N
03-89-1007	1.2x1	Paper	BC, IR, 2up, B	4000	N
03-90-1045	1.2x1	Paper	GP, 2up, B	3370	Y
03-89-1003	1.2x1	Vinyl	BC, 2up, B	4000	N
03-89-1006	2.3x1	Paper	GP, B	1685	Y
03-02-1235	2.3x1	Tag	10mil, B	1069	Y
03-89-1002	2.4x0.75	Vinyl	GP, B	2130	Y
03-02-1879	2.4x1	Paper	GP, RA, B	1685	Y
03-89-1005	2.4x1	Paper	BC, B	2000	Y
03-89-1008	2.4x1	Paper	GP, IR, B	1685	N
03-89-1000	2.4x1	Tag	7.5mil, P, H, B	1500	Y
03-89-1001	2.4x1	Vinyl	GP, B	1685	Y
03-89-1033	2.4x2	Tag	7.5mil, P, H, B	750	Y
03-90-1059	2.4x3	Paper	GP, B	627	Y
03-02-1368	2x0.56	Paper	GP, B	2665	Y
03-89-1024	2x0.56	Vinyl	Butterfly, B	2665	Y
03-02-1345	4.25x1	Paper	GP, B	1685	Y
03-89-1011	4.25x1	Paper	GP, IR, B	1685	N
03-89-1010	4.25x3	Paper	GP, IR, B	627	N
03-90-1051	4.25x3	Paper	GP, B	627	Y
03-90-1054	4.25x6	Paper	GP, B	323	Y

Thermal Transfer- Labels and Tags

Barcode Blazer

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item
03-02-1544	1.15x1	Paper	GP, 2up, B	3370	Y
03-90-1044	1.2x1	Paper	GP, 2up, B	3370	N
03-89-1013	2.3x1	Paper	GP, B	1685	Y
03-90-1052	2.4x0.75	Paper	GP, B	2130	N
03-90-1060	2.4x0.75	Vinyl	GP, B	2130	N
03-89-1019	2.4x1	Paper	GP, RA, B	1685	Y
03-89-1038	2.4x1	Tag	7mil, P, H, B	1500	Y
03-91-1083	2.4x1	Tag	12mil, P, H, B	996	Y
03-90-1046	2.4x1	Vinyl	GP, B	1685	Y
03-89-1034	2.4x3	Paper	GP, B	627	Y
03-02-1369	2x0.56	Paper	GP, B	2665	Y
03-90-1061	2x0.56	Vinyl	Butterfly, B	2600	Y
03-89-1028	4.25x1	Paper	GP, B	1685	Y
03-89-1015	4.25x3	Paper	GP, B	627	Y
03-91-1084	4.25x6.5	Paper	GP, B	300	Y

Key: GP = Gap/perforation, P = Perforation separates each tag, N = Notch Index, BC = Butt-cut, H = Hole for string hanging, = Bar Index, IR = Infra-red Scannable, RA = Removable Adhesive

Copyright © 2001, Cognitive. All rights reserved. Specifications are subject to change without notification.
105-087-01 rev. C September, 2001

Cognitive

Direct Thermal

1.5" Portable Barcode Blazer

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item
03-89-1041	1.5x1	paper	GP, B	750	Y
03-89-1037	1.5x1	Vinyl	GP, B	750	N
03-89-1040	1.5x3	Paper	GP, B	280	Y
03-89-1036	1.5x3	Vinyl	GP, B	280	Y

Direct Thermal

4.25" Portable Barcode Blazer

Part #	Size: W X H (inches)	Material	Style	Labels per roll	Stock Item
03-91-1086	4.25x1	Paper	GP, IR, B	400	N
03-90-1057	4.25x3	Paper	GP, B	150	Y
03-90-1058	4.25x3	Paper	GP, IR, B	150	N

Cleaning Supplies

All Printers

Part#	Description	Items per box
14-00-0000	Cleaning card, 2.5x6	25
14-00-0001	Cleaning card, 4.5x6	25
14-00-0002	Cleaning pen	12

Key: GP = Gap/perforation, P = Perforation separates each tag, N = Notch Index, BC = Butt-cut, H = Hole for string hanging, = Bar Index, IR = Infra-red Scannable, RA = Removable Adhesive

Copyright © 2001, Cognitive. All rights reserved. Specifications are subject to change without notification.
105-087-01 rev. C September, 2001

Cognitive

Thermal Transfer - Ribbons

Del Sol 2" & 4",
Solus, Solus II

Part #	Width (inches)	Length (inches)	Formulation	Stock Item	DT24	DT42	ST42
04-00-0044-01	2.4	5496	Wax	•	•		
04-00-0044-03	2.4	5496	Wax/Resin		•	•	
04-00-0044-02	2.4	5496	Premium resin	•	•		
04-00-0041-04	2.4L	5496	Wax	•			•
04-00-0041-06	2.4L	5496	Wax/Resin	•			•
04-00-0041-05	2.4L	5496	Premium resin	•			•
04-00-0041-01	4.25	5496	Wax	•		•	•
04-00-0041-03	4.25	5496	Wax/Resin	•		•	•
04-00-0041-02	4.25	5496	Premium resin	•		•	•

Thermal Transfer - Ribbons

Blaster Classic,
Advantage

Part #	Width (inches)	Length (inches)	Formulation	Stock Item	BT24	BT42
04-00-0031-01	2.4	3156	Wax	•	•	
04-00-0031-02	2.4	3156	Wax/Resin	•	•	
04-00-0031-03	2.4	3156	Premium resin	•	•	
04-00-0028-04	2.4L	3156	Wax	•		•
04-00-0028-08	2.4L	3156	Wax/Resin	•		•
04-00-0028-06	2.4L	3156	Premium resin	•		•
04-00-0028-01	4.25	3156	Wax	•		•
04-00-0028-07	4.25	3156	Wax/Resin	•		•
04-00-0028-03	4.25	3156	Premium resin	•		•

Thermal Transfer - Ribbons

Barcode Blazer

Part #	Width (inches)	Length (inches)	Formulation	Stock Item	TT42
04-89-1101	2.4	8000	Wax	•	•
04-89-1124	2.4	8000	Wax/Resin	•	•
04-89-1102	4.25	8000	Wax	•	•
04-89-1125	4.25	8000	Wax/Resin	•	•

Thermal Transfer - Ribbons

Code Courier

Part #	Width (inches)	Length (inches)	Formulation	Stock Item	PT42
04-00-0029-01	4.25	1000	Resin	•	•
04-00-0039-01	4.25	1000	Premium Resin		•

Key: GP = Gap/perforation, P = Perforation separates each tag, N = Notch Index, BC = Butt-cut, H = Hole for string hanging, = Bar Index, IR = Infra-red Scannable, RA = Removable Adhesive

Copyright © 2001, Cognitive. All rights reserved. Specifications are subject to change without notification.
105-087-01 rev. C September, 2001

Cognitive