

32" Full HD Commercial LED Display

High-Definition Television for Hospitality and Commercial Environments

VT3200-L



The ViewSonic® VT3200-L is a sleek, premium 32" LED commercial display with an HDTV-tuner for HDTV programming. It features a glossy-finish, slim-bezel design, as well as 1920x1080 native resolution, 6.5ms-fast response times and a 3000:1 high contrast ratio for superior image and color performance. Versatile connectivity options include HDMI, VGA, YPbPr and CVBS inputs. A RS232 control port with IR pass-through provides automated control for hospitality and commercial installations. Plus, HDMI CEC pass-through support provides one-touch-play and other control features for multiple connected devices. An embedded media player plays back photos and video content via USB hard drive. And with hospitality mode, TV settings can be customized, including volume levels, default channel selection and more. Customized settings can be easily duplicated from display to display thanks to a USB cloning function. Dual integrated 10W stereo speakers and SPDIF functionality also make this display the complete multimedia entertainment solution for hotels, restaurants, bars, and other venues.

Built-in HDTV Tuner

ViewSonic's VT3200-L has a built-in ATSC/NTSC TV tuner that receives both analog and Full HD high-resolution TV signals. The built-in tuner offers viewers more content choices by delivering a wider range of HDTV channels, including channels for business, sports, education, movies, etc.

Full HD 1920x1080 Display Resolution

The VT3200-L features Full HD 1920x1080 resolution to deliver superior pixel-by-pixel performance for a more realistic viewing experience. With Full HD resolution, experience greater image clarity and detail that bring high-definition TV programs, HD movies, and other multimedia content to life.

Hospitality Mode for Automated Multi-screen Control

The VT3200-L is great for multi-screen setups in hotels, restaurants, sports bars, or retail outlets that require automated control and customizable presets. With a programmable hospitality setting, each television can have the same customized channel default, audio level, front-panel lockout, and auto power-up settings.

USB Multimedia Playback & Cloning

With the handy PC-less USB playback feature, photos and music can be immediately played and shared by plugging a USB drive into the display. In addition, the VT3200-L includes USB cloning for easy duplication in multi-screen environments.

IR Pass-through for Multi-device Control

The VT3200-L features a RS232 control port with IR pass-through to provide automated control for hospitality and commercial display installations. IR pass-through offers local control for set-top boxes or other connected devices, directly from the display's remote controller.

32" Full HD Commercial LED Display

VT3200-L



HDMI CEC Delivers More Viewing Possibilities


With HDMI CEC functionality, remote controller signals can be transmitted via HDMI cable to connected HDMI devices. This enables out-of-sight DVD players, sound systems, and other devices to be directly controlled with the display's remote controller for a wider range of viewing possibilities.

Versatile Input Connectivity

VGA, YPbPr, and USB inputs provide extreme flexibility, while 3 HDMI ports allow connection to HD set-top-boxes, media players, and Blu-ray players.

Applications

- Digital signage in retail spaces
- Hotel guest room entertainment displays
- Sports bar and restaurant entertainment display



Specifications

PANEL		Type	32.0" color TFT active matrix, wide LCD with WLED Backlight
		Display Area	27.5" horizontal x 15.5" vertical; 32.0" diagonal
		Optimum Resolution	1920 x 1080
		Contrast Ratio	3000:1 (typ)
		Viewing Angles	170° horizontal, 160° vertical
		Response Time	6.5ms
		Light Source	Long life, 50,000 hrs. (typ)
		Brightness	300 cd/m² (typ)
		Aspect Ratio	16:9
		Panel Surface	Anti-glare, hard coating (3H)
INPUT		Video Input	HDMI, component, VGA, CVBS
		RF	NTSC/ATSC/QAM
		Control Input	RS232
		USB 2.0	JPEG, MP3
AUDIO OUTPUT			Internal 10-watt speakers (x2), SPDIF optical
INPUT SIGNAL		TV/Video Comp.	480i, 480p, 720p, 1080i, 1080p
CONNECTOR		Analog	15-pin mini D-sub (VGA), RCA Audio In, headphone out
		Digital	HDMI (x3), YPbPr, CVBS, SPDIF, USB
		Power	3-pin plug
CONTROLS		Panel	Menu, VOL +/-, Down/Up, Input, Power
		Picture	Picture Mode, Screen Size, PC Settings, Color Temperature, Backlight, Advanced Picture Settings, Noise Reduction
		Sound	Sound Setting, Analog Sound, Digital Sound, Digital Audio Output, Equalizer Setting, Channel List, Favorite List, Channel Settings, Signal Type, Auto Channel Search, DTV signal
		Parental	Lock Parent Control, V-Chip, Change Password, Keypad Lock, Source Lock, System Lock
		Setup	Closed Caption, Menu Language, Clock, OSD Transparency, Time Zone, OSD Timer
		Others	Blue Back, No Signal Power Off, No Operation Power Off, All Reset, Audio Only, TV ID
POWER		Voltage Consumption	AC 100–240V (universal), 50–60Hz 38W (typ)
OPERATING CONDITIONS		Temperature	32–104°F (0–40°C)
		Humidity	20–80% (non-condensing)
DIMENSIONS (W x H x D)		Physical With Stand	29.5 x 19.2 x 7.1 in. / 747.8 x 488.1 x 180 mm
		Physical Without Stand	29.5 x 17.8 x 2.5 in. / 747.8 x 452.4 x 64.5 mm
		Packaging	33.5 x 23.0 x 5.2 in. / 850 x 585 x 132 mm
BEZEL DIMENSIONS		Left/Right	21mm / 21mm
		Top/Bottom	21mm / 21mm
WEIGHT		Net With Stand	16.1 lb. / 7.3 kg
		Net Without Stand	14.3 lb. / 6.5 kg
		Gross	19.8 lb. / 9.0 kg
WALL MOUNT		VESA®	200mm x 100mm
REGULATIONS			FCC, UL, RoHS, ENERGY STAR 6.0, Mexico-UL-CoC, Mexico Energy
RECYCLE/DISPOSAL			Please dispose of in accordance with local, state or federal laws.
WARRANTY			One-year limited warranty on parts, labor and backlight

What's in the box?

VT3200-L display, power cord, remote control with batteries, base stand & screws, Quick Start Guide, ViewSonic Wizard CD (with User Guide)



ViewSonic Corporation's QMS & EMS have been registered to ISO 9001 & ISO 14001, respectively, by TUV NORD.

Specifications and availability are subject to change without notice. Selection, offers and programs may vary by country; see your ViewSonic representative for complete details. HDMI, the HDMI Logo, and High-Definition Multimedia Interface are trademarks or registered trademarks of HDMI Licensing LLC in the United States and other countries. Corporate names, trademarks stated herein are the property of their respective companies. Copyright © 2014 ViewSonic Corporation. All rights reserved. [17318-01B-08/14]

Sales: (888) 881-8781 or SalesInfo@ViewSonic.com • More product information: www.ViewSonic.com