



Zebra Cameo® Series

Mobile Printing for Businesses on The Go

Lightweight receipt printers keep your business moving.

Receipt printing is quick and efficient with lightweight, versatile Cameo mobile printers. Weighing as little as one pound, they are light, sleek and durable enough to carry and use anywhere. Easily clipped to a user's belt, Cameo printers simplify in-store customer order processing and payment via optional bi-directional MCRs (magnetic card readers) and SCRs (smart card readers).

Wireless Communication

Communicate wirelessly with Cameo printers using a wireless handheld terminal and Zebra Portable Radio (ZPR). Bluetooth® and wireless LAN options are also available!

Point-of-Transaction Flexibility

- Agents with handhelds and Cameo mobile receipt printers can get customers on their way faster at curbside or during in-lot rental car returns.
- Shorter lines mean happier customers. Receipt printers with credit card readers are used for queue busting in retail stores and fast food restaurants.



Connect with it. Count on it.™

Cameo Series



Leading Edge Connectivity

- Cameo printers support a wide variety of serial and wireless communication options, including Bluetooth technology and IrDA.
- Integrated wireless LAN radio (Cameo 3N).

Lightweight and Long-Lasting

- Printers weigh as little as one pound.
- High-performance battery power lasts more than eight hours on a single charge.

Rugged Design

- High-impact Texin® plastic housing.
- Withstands drops up to six feet.



Cameo 2

The one-pound Cameo 2 is easy to wear and carry anywhere receipt printing is needed. With an optional magnetic card reader (MCR) and/or smart card reader (SCR), you can perform credit card transactions while staying mobile. The Cameo 2 is rugged—withstanding drops of up to six feet with boot—and is ideal for point-of-sale transactions, hospitality receipt printing, and transportation ticket printing.

MAXIMUM PRINT AREA

Width: 1.9"/48.3 mm

Length (with standard memory):
11"/280 mm

RESOLUTION

203 dpi/8 dots per mm

MAXIMUM PRINT SPEED

3"/76.2 mm per second

MEMORY

256 K SRAM; 1 MB Flash

PHYSICAL CHARACTERISTICS

Width: 3.7"/94 mm

Depth: 2.6"/66 mm

Height: 6.6"/167.6 mm

Weight (with battery): 1 lbs./45 kg

MEDIA SPECIFICATIONS

Receipt media width:
1"/25.4 mm to 2.1"/53.3 mm

Cameo 2SC

The lightweight, one-pound Cameo 2SC is Zebra's smallest mobile printer with magnetic stripe and smart card reading ability. The Cameo 2SC offers MCR and/or SCR for customer processing venues, especially in retail and hospitality.

MAXIMUM PRINT AREA

Width: 1.9"/48.3 mm

Length (with standard memory):
11"/280 mm

RESOLUTION

203 dpi/8 dots per mm

MAXIMUM PRINT SPEED

3"/76.2 mm per second

MEMORY

256 K SRAM; 1 MB Flash

PHYSICAL CHARACTERISTICS

Width: 3.7"/94 mm

Depth: 2.6"/66 mm

Height: 6.6"/167.6 mm

With MCR: same

With SCR: add .7"/17.4 mm

Weight (with battery): 1 lbs./45 kg

Weight (with MCR/SCR option): 1.24 lbs./56 kg

MEDIA SPECIFICATIONS

Receipt media width:
1"/25.4 mm to 2.1"/53.3 mm

Cameo Series



Cameo 3

The 1.4-pound Cameo 3 may be lightweight, but its rugged design enables it to adapt to the harshest environments and survive drops of up to six feet with boot. This printer is ideal for auto rental point-of-transaction processing, route accounting and package delivery, airline boarding passes, gaming/wager tickets, and parking tickets and violations.

MAXIMUM PRINT AREA

Width: 2.83"/71.9 mm
Length (with standard memory): 10"/254 mm

RESOLUTION

203 dpi/8 dots per mm

MAXIMUM PRINT SPEED

3"/76.2 mm per second

MEMORY

256 K SRAM; 1 MB Flash

PHYSICAL CHARACTERISTICS

Width: 4.6"/117 mm
Depth: 2.6"/66 mm
Height: 6.2"/157.5 mm
Weight (with battery): 1.4 lbs./.64 kg

MEDIA SPECIFICATIONS

Receipt media width: 1.5"/38 mm to 3.1"/78.7 mm

Cameo 3SC/3N

Print customer receipts and tickets on the go with the compact 1.6-pound Cameo 3SC and 1.9-pound Cameo 3N. The Cameo 3SC offers MCR and/or SCR for customer processing venues, and the Cameo 3N with 802.11 wireless LAN is ideal for auto rental point-of-transaction processing, retail sales receipts, airline boarding passes, and gaming/lottery tickets.

MAXIMUM PRINT AREA

Width: 2.83"/71.9 mm
Length (with standard memory): 10"/254 mm

RESOLUTION

203 dpi/8 dots per mm

MAXIMUM PRINT SPEED

3"/76.2 mm per second

MEMORY

256 K SRAM; 1 MB Flash

PHYSICAL CHARACTERISTICS

Width: 4.6"/117 mm
Depth: 2.6"/66 mm (3SC)
3.5"/89 mm (3N)
Height: 8.2"/208 mm

Weight (with battery): 1.6 lbs./.73 kg (3SC)
1.9 lbs./.86 kg (3N)

MEDIA SPECIFICATIONS

Receipt media width: 1.5"/38 mm to 3.1"/78.7 mm

Cameo PEP

Intuitively designed and user-friendly, the 1.85-pound Cameo PEP (Portable Encoding Printer) makes processing transactions in high traffic areas quick and easy. Featuring an integrated magnetic card encoder (MCE), it can process ISO 7811 compliant credit cards, room keys, property passes and transportation tickets. The Cameo PEP is ideal for hotel guest check-in, gaming and casino property management, amusement park ride passes, and entertainment venue access.

MAXIMUM PRINT AREA

Width: 2.83"/71.9 mm
Length (with standard memory): 10"/254 mm

RESOLUTION

203 dpi/8 dots per mm

MAXIMUM PRINT SPEED

3"/76.2 mm per second

MEMORY

256 K SRAM; 1 MB Flash

PHYSICAL CHARACTERISTICS

Width: 5.3"/135 mm
Depth: 2.6"/68 mm
Height: 9"/229 mm
Weight (with battery): 1.85 lbs./.84 kg

MEDIA SPECIFICATIONS

Receipt media width: 1.5"/38 mm to 3.1"/78.7 mm

For More Information

Contact your Zebra representative for additional printer specifications. To learn more about innovative mobile printers, call +1 800 556 7266, or visit our Web site www.zebra.com.



Avoid long lines and keep customers happy by processing purchases on the spot!

Cameo Series



Specifications at a Glance*

STANDARD FEATURES

- Print method: Direct thermal
- High-impact Texin polycarbonate/polyurethane blended plastic construction
- Smart battery management (monitors battery for longer life and performance)
- 1 MB Flash
- Resident scalable fonts
- 16 bit external high-performance processor
- Adjustable stock width control for variable media roll sizes
- Paper out sensor
- "Clamshell" design for easy media loading
- Auto-temperature compensation and print contrast control
- External power on/off control from keypad, terminal, or printer
- Windows® drivers (3.1, 95, 98, NT v.3.51, NT v.4.0, 2000, CE)

OPERATING CHARACTERISTICS

Environment

- Operating Temp. 5° F/-15° C to 122° F/50° C
- Storage Environ. -13° F/-25° C to 158° F/70° C
- Operating Humidity 10-90% non-condensing
- Storage Humidity 10-90% non-condensing

Electrical

- 8 pin RS232 connector serial port
- 1.6 Ah NiMH
- Shock-mounted internal components

Communication Interface Capabilities

RS-232 connector serial port; configurable baud rate 9,600-15,200, parity, data bits; software (XON/XOFF) or hardware (DTR/DSR) communication handshake protocols; error detection CRC protocol

Agency Approvals

FCC and CE Class B compliance; design certified by CSA; CB Scheme report; NOM certified; C-Tick clearance. GSA#: GS-35F-0268N

MEDIA CHARACTERISTICS

Labels/Receipts

Max. Roll Size: 2.2"/56 mm O.D. on a .75"/19 mm I.D. core (1.9"/48 mm for Cameo 2 Plus)

Thickness: 3.2 mil to 5.5 mil

The Cameo 3 prints receipts only.

Media Types

Continuous receipt (Cameo 2 and Cameo 3)
For optimum print quality and printer performance, use Genuine Zebra supplies.

FONTS/GRAPHICS/SYMBOLOGIES

Character Fonts/Sets

25 types, downloadable, scalable fonts

Graphic Features

Supports user-defined fonts and graphics— including custom logos

Bar Code Symbolologies

Code 39, Code 93, Code 128, UPC-A, UPC-E, EAN/JAN-8, EAN/JAN-13, MSI/Plessey, UCC/EAN-128, Interleaved 2-of-5, Postnet, FIM, Codabar

OPTIONS AND ACCESSORIES

- Zebra Portable Radio (ZPR) for wireless handheld devices
- Bluetooth connectivity
- 802.11 Wireless LAN communication (Cameo 3N[™])
- Wireless I/R communication
- Environmental case for increased printer protection from harsh environments
- Soft case, shoulder strap, or belt clip
- UCN72 Fast Battery Chargers
- UCN74 Quad Battery Chargers
- Label Vista[™] software for receipt and label design and font creation

*Specifications subject to change without notice. ©2004 ZIH Corp. Zebra and Cameo are registered trademarks of ZIH Corp. All rights reserved. Bluetooth is a registered trademark of Bluetooth SIG, Inc. Texin is a registered trademark of Bayer Corporation. Windows is a registered trademark of Microsoft Corporation. All other trademarks are the property of their respective owners.



HEADQUARTERS Zebra Technologies International, LLC **T:** +1 847 793 2600 or +1 800 423 0442 **F:** +1 847 913 8766
ADDRESS: 333 Corporate Woods Parkway, Vernon Hills, IL 60061-3109 U.S.A. **WEB:** www.zebra.com

OTHER LOCATIONS **USA:** California, Florida, Rhode Island, Wisconsin **EUROPE:** Denmark, France, Germany, Italy, Spain, United Kingdom **ASIA-PACIFIC:** Australia, China, Japan, Singapore, South Korea **LATIN AMERICA:** Argentina, Brazil, Mexico **AFRICA/MIDDLE EAST:** South Africa, United Arab Emirates



An ISO 9001 registered company
©2004 ZIH Corp.
Printed in U.S.A.
#11230L Rev. 8 (9/04) 10M